
c o m p o n e n t s T



ORGANIC
OFFICE
FURNITURE

Price List

Effective July 1, 2006



| | Worksurfaces |
|----------|--|
| | PAGE 2 |
| 2 | Lower Storage PAGE 10 |
| 3 | Support PAGE 14 |
| 4 | Upper Storage PAGE 16 |
| 6 | Tall Storage PAGE 18 |
| 6 | Privacy PAGE 22 |
| • | Accessories PAGE 24 |
| 8 | Surface Material Reference Guide PAGE 28 |
| 9 | Terms and Conditions PAGE 29 |
| 0 | Shipping Zones PAGE 31 |


GENERAL SPECIFICATIONS

- Finished thickness 1-1/4"
- Finish options are:
 - 1. Standard laminate selection with matching PVC edge. (No designation in model number).
 - 2. Custom laminate selection with standard PVC edge. (Add a "-1" to the model number; ex: Q1RW6624-1).
- Worksurface price includes connecting plates and screws.

Description Model No. (W x D) Wt. Standard Laminate Custom Laminate with PVC with PVC (1)


Rectangular Worksurfaces

20" DEEP RECTANGULAR WORKSURFACE




| Q1RW2420 | 24 x 20 | 17# |
|----------|---------|-----|
| Q1RW3020 | 30 x 20 | 21# |
| Q1RW3620 | 36 x 20 | 25# |
| Q1RW4220 | 42 x 20 | 29# |
| Q1RW4820 | 48 x 20 | 34# |
| Q1RW5420 | 54 x 20 | 38# |
| Q1RW6020 | 60 x 20 | 42# |
| Q1RW6620 | 66 x 20 | 46# |
| Q1RW7220 | 72 x 20 | 50# |
| | | |

24" DEEP RECTANGULAR WORKSURFACE



| Q1RW2424 | 24 x 24 | 20# |
|----------|---------|-----|
| Q1RW3024 | 30 x 24 | 25# |
| Q1RW3624 | 36 x 24 | 30# |
| Q1RW4224 | 42 x 24 | 35# |
| Q1RW4824 | 48 x 24 | 40# |
| Q1RW5424 | 54 x 24 | 45# |
| Q1RW6024 | 60 x 24 | 50# |
| Q1RW6624 | 66 x 24 | 55# |
| Q1RW7224 | 72 x 24 | 60# |

30" DEEP RECTANGULAR WORKSURFACE




| Q1RW2430 | 24 x 30 | 25# |
|----------|---------|-----|
| Q1RW3030 | 30 x 30 | 31# |
| Q1RW3630 | 36 x 30 | 38# |
| Q1RW4230 | 42 x 30 | 44# |
| Q1RW4830 | 48 x 30 | 50# |
| Q1RW5430 | 54 x 30 | 56# |
| Q1RW6030 | 60 x 30 | 63# |
| Q1RW6630 | 66 x 30 | 69# |
| Q1RW7230 | 72 x 30 | 75# |
| | | |

Description Model No. (W x D) Wt. Standard Laminate Custom Laminate with PVC with PVC (1)

Corner Worksurfaces

• One grommet (Q7TG50) included in back corner.

STRAIGHT CORNER WORKSURFACES



| Q1CW36/LR | 36 x 36 | 45# |
|-----------|---------|-----|
| Q1CW42/LR | 42 x 42 | 62# |
| Q1CW48/LR | 48 x 48 | 80# |

Corner worksurfaces are available with the following left and right run off sizes:


| LEFT | RIGH |
|------|------|
| 20 | 20 |
| 20 | 24 |
| 20 | 30 |
| 24 | 20 |
| 24 | 24 |
| 24 | 30 |
| 30 | 20 |
| 30 | 24 |
| 30 | 30 |
| | |

INSIDE RADIUS WORKSURFACES



| Q1CI42/2020 | 42 x 42/20L 20R | 62# |
|-------------|-----------------|-----|
| Q1CI42/2424 | 42 x 42/24L 24R | 62# |
| Q1CI48/2424 | 48 x 48/24L 24R | 80# |
| Q1CI48/3030 | 48 x 48/30L 30R | 80# |

ORGANIC CORNER WORKSURFACES



| Q1CO42/2024 | 42 x 42/20L 24R | 62# |
|-------------|-----------------|-----|
| Q1CO42/2420 | 42 x 42/24L 20R | 62# |
| Q1CO42/2430 | 42 x 42/24L 30R | 62# |
| Q1CO42/3024 | 42 x 42/30L 24R | 62# |
| | | |
| Q1CO48/2024 | 48 x 48/20L 24R | 80# |
| Q1CO48/2420 | 48 x 48/24L 20R | 80# |
| Q1CO48/2430 | 48 x 48/24L 30R | 80# |
| Q1CO48/3024 | 48 x 48/30L 24R | 80# |
| | | |

ORGANIC CORNER WORKSURFACES




| Q1CO4872 | 48 x 72/24L 24R | 100# |
|----------|-----------------|------|
| Q1CO7248 | 72 x 48/24L 24R | 100# |

(Q1CO7248 worksurface shown.)

Description Model No. (W x D) Wt. Standard Laminate Custom Laminate with PVC with PVC (1)

Corner Worksurfaces

SKI JUMP WORKSURFACES




Q1SJ4272 42 x 72 105# Q1SJ7242 72 x 42 105#

(Q1SJ7242 worksurface shown.)


Bullet Worksurfaces

24" DEEP BULLET WORKSURFACES




Q1BW4224 42 x 24 35# Q1BW4824 48 x 24 40# 45# Q1BW5424 54 x 24 Q1BW6024 50# 60 x 24 Q1BW6624 66 x 24 55# Q1BW7224 72 x 24 60#

30" DEEP BULLET WORKSURFACES



Q1BW6030 60 x 30 63# Q1BW6630 66 x 30 69# Q1BW7230 72 x 30 75#

36" DEEP BULLET WORKSURFACES




Q1BW6036 60 x 36 75# Q1BW6636 66 x 36 83# Q1BW7236 72 x 36 90#

Description Model No. (W \times D) Wt. Standard Laminate Custom Laminate with PVC with PVC (1)


Bow Front Worksurfaces

• The depth of the surface is measured from the back edge to the front of the curve at the center of the arc.






26" DEEP BOW FRONT WORKSURFACES




| Q1BF4026 | 40 x 26 | 28# |
|----------|---------|-----|
| Q1BF4826 | 48 x 26 | 40# |
| Q1BF6026 | 60 x 26 | 42# |
| Q1BF6626 | 66 x 26 | 46# |
| Q1BF7226 | 72 x 26 | 50# |
| | | |

30" DEEP BOW FRONT WORKSURFACES



| Q1BF6030 | 60 x 30 | 50# |
|----------|---------|-----|
| Q1BF6630 | 66 x 30 | 55# |
| Q1BF7230 | 72 x 30 | 60# |
| | | |

36" DEEP BOW FRONT WORKSURFACES



| Q1BF6036 | 60 x 36 | 63 |
|----------|---------|-----|
| Q1BF6636 | 66 x 36 | 697 |
| Q1BF7236 | 72 x 36 | 75 |
| | | |

Description Model No. (W x D) Wt. Standard Laminate Custom Laminate with PVC with PVC (1)

Arched Worksurfaces


• The length of the worksurface is the overall length. The depth is measured on the flat ends.

20" DEEP INSIDE ARCHED WORKSURFACES




Q1AR6020 60 x 20 42# Q1AR6620 66 x 20 46# Q1AR7220 72 x 20 50#

24" DEEP INSIDE ARCHED WORKSURFACES



Q1AR6024 60 x 24 50# Q1AR6624 66 x 24 55# Q1AR7224 72 x 24 60#

30" DEEP INSIDE ARCHED WORKSURFACES




Q1AR6030 60 x 30 63# Q1AR6630 66 x 30 69# Q1AR7230 72 x 30 75#

Description Model No. (W x D) Wt. Standard Laminate Custom Laminate with PVC with PVC (1)

Flat Arched Worksurfaces


• The length of the worksurface is the overall length. The depth is measured on the flat ends.

20" DEEP FLAT ARCHED WORKSURFACES




Q1AF6020 60 x 20 42# Q1AF6620 66 x 20 46# Q1AF7220 72 x 20 50#

24" DEEP FLAT ARCHED WORKSURFACES



Q1AF6024 60 x 24 50# Q1AF6624 66 x 24 55# Q1AF7224 72 x 24 60#

30" DEEP FLAT ARCHED WORKSURFACE



Q1AF6030 60 x 30 63# Q1AF6630 66 x 30 69# Q1AF7230 72 x 30 75#

| Description | Model No. | (W x D) | Wt. | Standard Laminate with PVC | Custom Laminate with PVC (1) | | | | |
|--------------------------------|----------------------|--------------------|--------------|----------------------------|------------------------------|--|--|--|--|
| Specialty Worksurfaces | | | | | | | | | |
| QUARTER ROUNDS | QUARTER ROUNDS | | | | | | | | |
| | Q1QR20 | 20 x 20 | 17# | | | | | | |
| | Q1QR24 | 24 x 24 | 20# | | | | | | |
| | Q1QR30 | 30 x 30 | 31# | | | | | | |
| | | | | | | | | | |
| HALF ROUNDS | | | | | | | | | |
| | Q1HR40 | 40 x 20 | 28# | | | | | | |
| | Q1HR48 | 48 x 24 | 40# | | | | | | |
| | Q1HR60 | 60 x 30 | 63# | | | | | | |
| | | | | | | | | | |
| ARCH EXTENSIONS (135° |) | | | | | | | | |
| | Q1AE20 | 20 x 20 | 17# | | | | | | |
| | Q1AE24 | 24 x 24 | 20# | | | | | | |
| | Q1AE30 | 30 x 30 | 31# | | | | | | |
| | | | | | | | | | |
| CRAB CLAWS | | | | | | | | | |
| | Q1CB4824L | 48 x 24 | 40# | | | | | | |
| | Q1CB4824R | 48 x 24 | 40# | | | | | | |
| (Q1CB4824R worksurface shown.) | | | | | | | | | |
| FLARED SPANNERS | | | | | | | | | |
| | Q1FS4024 | 40 x 24 | 30# | | | | | | |
| | Q1FS4824 Q1FS6030 | 48 x 24 60 x 30 | 42# 65# | | | | | | |
| | Q 11 30000 | 00 A 30 | υ <i>э</i> # | | | | | | |

| Description | Model No. | (W x D) | Wt. | Standard Laminate with PVC | Custom Laminate with PVC (1) |
|-------------|--------------------------------------|--|---------------------------|----------------------------|------------------------------|
| Table Tops | | | | | |
| SQUARE | | | | | |
| | Q1SW3636 Q1SW4242 Q1SW4848 | 36 x 36 42 x 42 48 x 48 | 45# 62# 80# | | |
| RECTANGULAR | | | | | |
| | Q1RE3672 Q1RE3684 Q1RE4296 | 36 x 72 36 x 84 42 x 96 | 90# 105# 140# | | |
| ROUND | | | | | |
| | Q1FR36 Q1FR42 Q1FR48 Q1FR60 | 36 dia. 42 dia. 48 dia. 60 dia. | 45# 62# 80# 125# | | |
| ELLIPSE | | | | | |
| | Q1ET3672 Q1ET3684 Q1ET4296 | 36 x 72 36 x 84 42 x 96 | 90# 105# 140# | | |
| BITE RADIUS | | | | | |
| | Q1BR20 Q1BR24 Q1BR30 | 36 x 24 36 x 24 36 x 24 | 30# 30# 30# | | |

GENERAL SPECIFICATIONS

Cases are constructed of 3/4" thick, medium-density particle board laminated on all sides.

Finish options are:

- · Cases:
 - 1. 8 HLF standard colors with matching PVC edges. (No designation in model number).
- Door and drawer faces:
 - 1. 8 HLF standard colors with matching PVC edges. (No designation in model number).
 - 2. Custom laminate selection with standard PVC edge. (Add a "-1" to the model number; ex: Q2BB22-1).
- · Locks are optional.
- · All lower storage elements have leveling guides.

| Description | Model No. | $(W \times D \times H)$ | Wt. | Standard Laminate | Custom Laminate |
|-------------|-----------|-------------------------|-----|-------------------|-----------------|
| | | | | with PVC | with PVC (1) |

Pedestals

PEDESTAL — 2 BOX, 1 FILE DRAWER



Q2BB18 16 x 18 x 28 73# Q2BB22 16 x 22 x 28 80#

PEDESTAL — 2 FILE DRAWERS



Q2FF18 16 x 18 x 28 73# Q2FF22 16 x 22 x 28 80#

MOBILE PEDESTAL — 2 BOX, 1 FILE DRAWER



Q2MB18 16 x 20 x 27 75# Q2MB22 16 x 24 x 27 80#

MOBILE PEDESTAL — 2 FILE DRAWERS



Q2MF18 16 x 20 x 27 75# Q2MF22 16 x 24 x 27 80#

| Description | Model No. | $(W \times D \times H)$ | Wt. | Standard Laminate with PVC | Custom Laminate with PVC (1) |
|----------------------|----------------------|------------------------------|--------------|----------------------------|------------------------------|
| Pedestals | | | | | |
| CPU STORAGE PEDESTA | L | | | | |
| | Q2CP10 | 10 x 18 x 28 | 25# | | |
| OPEN STORAGE | | | | | |
| | Q2LO3018 Q2LO3618 | 30 x 18 x 28 36 x 18 x 28 | 110# 120# | | |
| CLOSED STORAGE — 2 E | OOR | | | | |
| | Q2LS3018 Q2LS3618 | 30 x 18 x 28 36 x 18 x 28 | 141# 160# | | |
| LATERAL FILE | | | | | |
| | Q2LF302D Q2LF362D | 30 x 18 x 28 36 x 18 x 28 | 165# 175# | | |

GENERAL SPECIFICATIONS

- · All steel-welded construction.
- Fully assembled and texture painted (silver standard).
- Inverted J-pull on metal faces.
- 3/4" extension roller slides on 6" box drawers.
- Full extension steel ball bearing slides on all 12" file drawers.
- Top box drawer includes pencil tray.
- · Master-keyed, core-removable locks which gang lock.
- · Integrated base with leveling guides.
- Mobile pedestals include counterweight, finished metal top and 4 casters (2 locking and 2 non-locking).

Description Model No. (W x D x H) Wt. Price

Metal Filing

PEDESTAL — 2 BOX, 1 FILE DRAWER (WORKSURFACE SUPPORTING)



Q2BB18-4 15 x 18 x 27-3/4* 68# Q2BB22-4 15 x 22 x 27-3/4 74# Q2BB28-4 15 x 28 x 27-3/4 83#

PEDESTAL — 2 FILE DRAWERS (WORKSURFACE SUPPORTING)



Q2FF18-4 15 x 18 x 27-3/4 68# Q2FF22-4 15 x 22 x 27-3/4 74# Q2FF28-4 15 x 28 x 27-3/4 83#

MOBILE PEDESTAL — 2 BOX, 1 FILE DRAWER



Q2MB18-4 15 x 18 x 27-3/4 60# Q2MB22-4 15 x 22 x 27-3/4 68# Q2MB28-4 15 x 28 x 27-3/4 79#

MOBILE PEDESTAL — 2 FILE DRAWERS



Q2MF18-4 15 x 18 x 27-3/4 60# Q2MF22-4 15 x 22 x 27-3/4 68# Q2MF28-4 15 x 28 x 27-3/4 79#

MULTI-PEDESTAL — 2 BOX, 1 FILE, 1 LATERAL FILE (WORKSURFACE SUPPORTING)



Q2FC30-4 30-1/2 x 18-1/2 x 27-3/4 105#

Description Model No. (W x D x H) Wt. Price

Metal Filing

2 DRAWER LATERAL FILE (WORKSURFACE SUPPORTING)



Q2FC302D-4 30-1/2 x 18-1/2 x 27-3/4 75# Q2FC362D-4 36 x 18-1/2 x 27-3/4 106#

Q2FC422D-4 N/A

2 DRAWER LATERAL FILE (FREE STANDING/FINISHED TOP)




 Q2LF302D-4
 30 x 18 x 27-3/4
 75#

 Q2LF362D-4
 36 x 18 x 27-3/4
 106#

 Q2LF422D-4
 42 x 18 x 27-3/4
 136#

3 DRAWER LATERAL FILE (FREE STANDING/FINISHED TOP)



Q2LF303D-4 30 x 18 x 40 112# Q2LF363D-4 36 x 18 x 40 143# Q2LF423D-4 42 x 18 x 40 174#


4 DRAWER LATERAL FILE (FREE STANDING/FINISHED TOP)



Q2LF304D-4 30 x 18 x 52 161# Q2LF364D-4 36 x 18 x 52 180# Q2LF424D-4 42 x 18 x 52 211#

5 DRAWER LATERAL FILE

(FREE STANDING/FINISHED TOP, FLIPPER DOOR WITH RETRACTABLE BIN ON TOP)



Q2LF305D-4 30 x 18 x 64 184# Q2LF365D-4 36 x 18 x 64 219# Q2LF425D-4 42 x 18 x 64 250#

Support

GENERAL SPECIFICATIONS

- Metal support elements are 16 gauge steel welded to 1/8" steel plates.
- 2" diameter single and double legs are silver powder coated.
- 2-3/8" diameter tapered single legs are brushed stainless.
- 2" diameter legs have leveling glides on fixed legs and twin-wheel casters on mobile legs.
- 2-3/8" diameter tapered legs have leveling glides on the fixed legs and a single-wheel 3" diameter caster on the mobile legs.
- All support panels are 1-1/8" thick panels laminated all sides and include levelers.
 - 1. 8 HLF standard colors with matching PVC edges. (No designation in model number).
 - 2. Custom laminate selection with standard PVC edge. (Add a "-1" to the model number; ex: Q3SP4828-1).

Description Model No. $(W \times D \times H)$ Wt. Price Metal Legs, Stationary SINGLE LEGS, 2" DIAMETER — STRAIGHT Q3SL2D28 2 x 28 8# SINGLE LEGS, 2-3/8" DIAMETER - TAPERED Q3SLBS28 2-3/8 x 28 DOUBLE LEGS Q3DL1428 14 x 2 x 28 15# 6 x 20 Top Plate for 20" & 24" Worksurfaces Q3DL2028 17# 20 x 2 x 28 6 x 26 Top Plate for 30" & 36" Worksurfaces Metal Legs, Mobile SINGLE LEGS, 2" DIAMETER — STRAIGHT Q3SLSM28 2 x 28 8# SINGLE LEGS, 2 3/8" DIAMETER — TAPERED Q3SLTM28 2-3/8 x 28 8# **DOUBLE LEGS**

14 x 2 x 28

20 x 2 x 28

6 x 20 Top Plate for 20" & 24" Worksurfaces

6 x 26 Top Plate for 30" & 36" Worksurfaces

15#

17#


Q3DLMB14

Q3DLMB20

Support •


| Description | Model No. | (W x D x H) | Wt. | Standard Laminate with PVC | Custom Laminate with PVC (1) |
|----------------|-----------|-------------|-----|----------------------------|------------------------------|
| Support Panels | | | | | |

28" HIGH SUPPORT PANELS




| Q3SP1828 | 18 x 1¼ x 28 | 19# |
|----------|----------------|-----|
| Q3SP2028 | 20 x 11/4 x 28 | 21# |
| Q3SP2428 | 24 x 11/4 x 28 | 25# |
| Q3SP3028 | 30 x 11/4 x 28 | 31# |
| Q3SP3628 | 36 x 1¼ x 28 | 38# |
| Q3SP4228 | 42 x 11/4 x 28 | 43# |
| Q3SP4828 | 48 x 11/4 x 28 | 50# |
| Q3SP5428 | 54 x 11/4 x 28 | 56# |
| Q3SP6028 | 60 x 1¼ x 28 | 63# |
| Q3SP6628 | 66 x 1¼ x 28 | 69# |
| Q3SP7228 | 72 x 1½ x 28 | 75# |

49" HIGH SUPPORT PANELS



| Q3AP3049 | 30 x 1¼ x 49 | 57# |
|----------|--------------|------|
| Q3AP3649 | 36 x 1¼ x 49 | 68# |
| Q3AP4249 | 42 x 1¼ x 49 | 79# |
| Q3AP4849 | 48 x 1¼ x 49 | 90# |
| Q3AP5449 | 54 x 1¼ x 49 | 102# |
| Q3AP6049 | 60 x 1¼ x 49 | 114# |
| Q3AP6649 | 66 x 1¼ x 49 | 125# |
| Q3AP7249 | 72 x 1¼ x 49 | 136# |
| | | |

60" HIGH SUPPORT PANELS



| Q3FP3060 | 30 x 11/4 x 60 | 69# |
|----------|----------------|------|
| Q3FP3660 | 36 x 1¼ x 60 | 80# |
| Q3FP4260 | 42 x 1¼ x 60 | 94# |
| Q3FP4860 | 48 x 1¼ x 60 | 107# |
| Q3FP5460 | 54 x 1¼ x 60 | 120# |
| Q3FP6060 | 60 x 1¼ x 60 | 133# |
| Q3FP6660 | 66 x 1¼ x 60 | 147# |
| Q3FP7260 | 72 x 1¼ x 60 | 160# |

Upper Storage

GENERAL SPECIFICATIONS


Cases are constructed of $\!3/4"$ thick medium-density particle board laminated on all sides.

Finish options are:

- · Cases:
 - 1. 8 HLF standard colors with matching PVC edges. (No designation in model number).
- · Door faces:
 - 1. 8 HLF standard colors with matching PVC edges. (No designation in model number).
 - 2. Custom laminate selection with standard PVC edge. (Add a "-1" to the model number; ex: Q4SH60-1).
- · Locks are optional.
- Upper storage is designed to be wall mounted, panel mounted, or worksurface mounted using overhead support posts. For wall mount application, deduct 331 from price of upper storage unit and add a "W" to the model number; ex: Q4SH60W. For panel mounted application, deduct 240 from price of upper storage unit and add a "P" to the model number; ex: Q4SH60P.


| Description | Model No. | (W x D x H) | Wt. | Standard Laminate with PVC | Custom Laminate with PVC (1) |
|---------------|--|--|---|----------------------------|------------------------------|
| STORAGE SHELF | | | | | |
| | Q4OP30 Q4OP36 Q4OP42 Q4OP48 Q4OP54 Q4OP60 Q4OP66 | 30 x 15 x 18 36 x 15 x 18 42 x 15 x 18 48 x 15 x 18 54 x 15 x 18 60 x 15 x 18 66 x 15 x 18 | 43# 46# 49# 52# 55# 58# 61# | | |
| | Q40P72 | 72 x 15 x 18 | 65# | | |

OPEN STORAGE



| Q4OS30 | 30 x 15 x 18 | 48# |
|--------|--------------|-----|
| Q4OS36 | 36 x 15 x 18 | 51# |
| Q4OS42 | 42 x 15 x 18 | 54# |
| Q4OS48 | 48 x 15 x 18 | 57# |
| Q4OS54 | 54 x 15 x 18 | 60# |
| Q4OS60 | 60 x 15 x 18 | 63# |
| Q4OS66 | 66 x 15 x 18 | 66# |
| Q4OS72 | 72 x 15 x 18 | 69# |

CURVED FLIPPER DOOR STORAGE



| Q4CF30 | 30 x 16 x 18 | 78# |
|--------|--------------|------|
| Q4CF36 | 36 x 16 x 18 | 85# |
| Q4CF42 | 42 x 16 x 18 | 93# |
| Q4CF48 | 48 x 16 x 18 | 101# |
| Q4CF54 | 54 x 16 x 18 | 108# |
| Q4CF60 | 60 x 16 x 18 | 116# |
| Q4CF66 | 66 x 16 x 18 | 124# |
| Q4CF72 | 72 x 16 x 18 | 131# |
| | | |

Upper Storage

| Description | Model No. | (W xD x H) | Wt. | Standard Laminate with PVC | Custom Laminate with PVC (1) |
|-------------|-----------|--------------|------|----------------------------|------------------------------|
| HINGED DOOR | | | | | |
| | Q4SH30 | 30 x 16 x 18 | 78# | | |
| | Q4SH36 | 36 x 16 x 18 | 85# | | |
| | Q4SH42 | 42 x 16 x 18 | 93# | | |
| | Q4SH48 | 48 x 16 x 18 | 101# | | |
| | Q4SH54 | 54 x 16 x 18 | 108# | | |
| | Q4SH60 | 60 x 16 x 18 | 116# | | |
| 1 | Q4SH66 | 66 x 16 x 18 | 124# | | |
| | Q4SH72 | 72 x 16 x 18 | 131# | | |

OVERHEAD SUPPORT POSTS — PAIR (NOT SOLD SEPARATELY)



Q4UP22 4 x 5 x 22 10#

TRANSACTION TOP SUPPORT POSTS — PAIR (NOT SOLD SEPARATELY)



Q4UP12 4 x 5 x 12

Tall Storage

BOOKCASE GENERAL SPECIFICATIONS

Cases are constructed of 3/4" thick medium-density particle board laminated on all sides.


Bookcase finish options are:

- 1. 8 HLF standard colors with matching PVC edges. (No designation in model number).
- 2. Custom laminate with standard PVC edge. (Add a "-1" to the model number; ex: Q5OB3648-1).
 - · All tall storage elements have leveling guides.

Description Model No. (W x D x H) Wt. Standard Laminate Custom Laminate with PVC with PVC (1)


Bookcases

LOW BOOKCASES, 29" HIGH — 1 ADJUSTABLE SHELF




Q5OB3029 30 x 12 x 29 60# Q5OB3629 36 x 12 x 29 69#

MID BOOKCASES, 48" HIGH — 2 ADJUSTABLE SHELVES



Q5OB3048 30 x 12 x 48 60# Q5OB3648 36 x 12 x 48 69#

HIGH BOOKCASES, 72" HIGH - 3 ADJUSTABLE SHELVES



Q5OB3072 30 x 12 x 72 138# Q5OB3672 36 x 12 x 72 156#

Tall Storage •

Description Model No. (W x D x H) Wt. Standard Laminate Custom Laminate with PVC with PVC (1)


TOWER GENERAL SPECIFICATIONS

Cases are constructed of 3/4" thick medium-density particle board laminated on all sides.

- · Cases:
 - 1. 8 HLF standard colors with matching PVC edges. (No designation in model number).
- Door faces
 - 1. 8 HLF standard colors with matching PVC edges. (No designation in model number).
 - 2. Custom laminate selection with standard PVC edge. (Add a "-1" to the model number; ex: Q5SC3667-1).
- · Locks are optional.
- All tall storage elements have leveling guides.


Stationary Towers

STORAGE TOWER — 4 ADJUSTABLE SHELVES




Q5SS3667 36 x 24 x 67 275#

WARDROBE TOWER



Q5SW3667 36 x 24 x 67 225#

WARDROBE/STORAGE TOWER



Q5SC3667 36 x 24 x 67 275#

→ Tall Storage

Description Model No. (W x D x H) Wt. Standard Laminate Custom Laminate with PVC with PVC (1)

Mobile Towers

STORAGE TOWER — 4 ADJUSTABLE SHELVES



Q5MS3667 36 x 24 x 67 275#

WARDROBE TOWER



Q5MW3667 36 x 24 x 67 225#

WARDROBE/STORAGE TOWER



Q5MC3667 36 x 24 x 67 275#

Tall Storage •

| Description | Model No. | (W x D x H) | Wt. | Price |
|------------------------------------|---------------------------------------|------------------|--------|-------|
| Tower Accessories | | | | |
| AUDIO/VISUAL PULL-OU | T SHELF* | | | |
| | Q5PU3624 | 34 x 22 x 3 | 10# | |
| | | | | |
| | | | | |
| * Only available for Q5SS3667. | | | | |
| TACKABLE BACK PANEL | | | | |
| | Q5TP3667 | 36 x 3/4 x 67 | 32# | |
| | (Stationary Cabinet) | | | |
| | Q5TP3663 (Mobi l e Cabinet) | 36 x 3/4 x 63 | 30# | |
| | | | | |
| | Q5TP3630 (1/2 Panel) | 36 x 3/4 x 30 | 15# | |
| | | | | |
| WHITEBOARD BACK PAN | IEL (WIPEABLE W | /RITING SURFACE) | * | |
| | Q5WB3667 | 36 x 3/4 x 67 | 40# | |
| | (Stationary Cabinet) | | | |
| | Q5WB3663 | 36 x 3/4 x 63 | 36# | |
| | (Mobi l e Cabinet) | | | |
| | Q5WB3630 (1/2 Panel) | 36 x 3/4 x 30 | 20# | |
| | (1/2 i allei) | | | |
| * Includes marker pens and eraser. | | | | |
| COAT/PAPER TABLET HA | NGERS — PAIR (| NOT SOLD SEPAR | ATELY) | |
| | Q5CP | 6 x 1-1/4 x 3 | 2# | |

Privacy


GENERAL SPECIFICATIONS

- Fabric-covered screens are constructed with a hardboard center panel and faced with a tackable substrate.
- · Tack panels are finished on the face side only.
- Acrylic screens are fluted and translucent.
- PVC screens are perforated.
- Modesty panels are 3/4" thick and laminated on all sides.
- Mobile screens come standard with a white board surface (suitable for dry erase markers).
- All hardware for modesty screens and panels is included in the price of the product, and is shipped with the product.

Description Model No. (W x D x H) COM Wt. Price Requirements (YDS)


Surface Mounted Screens

FABRIC-COVERED SCREENS



| Q6FS3020 | 30 x 1-1/4 x 20 | 2 | 11# |
|----------|-----------------|-------|-----|
| Q6FS3620 | 36 x 1-1/4 x 20 | 2-1/4 | 14# |
| Q6FS4220 | 42 x 1-1/4 x 20 | 2-3/4 | 16# |
| Q6FS4820 | 48 x 1-1/4 x 20 | 3 | 18# |
| Q6FS5420 | 54 x 1-1/4 x 20 | 3-1/4 | 20# |
| Q6FS6020 | 60 x 1-1/4 x 20 | 3-3/4 | 23# |
| Q6FS6620 | 66 x 1-1/4 x 20 | 4 | 25# |
| Q6FS7220 | 72 x 1-1/4 x 20 | 4-1/4 | 27# |


PERFORATED METAL SCREENS (GREY)



| Q6PM3020 | 30 x 20 | 2# | * |
|----------|---------|----|---|
| Q6PM3620 | 36 x 20 | 3# | * |
| Q6PM4220 | 42 x 20 | 4# | * |
| Q6PM4820 | 48 x 20 | 5# | * |
| Q6PM5420 | 54 x 20 | 6# | * |
| Q6PM6020 | 60 x 20 | 7# | * |
| Q6PM6620 | 66 x 20 | 8# | * |
| Q6PM7220 | 72 x 20 | 9# | * |
| | | | |

^{*} Consult Factory For Pricing


TEMPERED FLUTED GLASS SCREENS



| Q6TG3020 | 30 x 1/2 x 20 | 16# |
|----------|---------------|-----|
| Q6TG3620 | 36 x 1/2 x 20 | 19# |
| Q6TG4220 | 42 x 1/2 x 20 | 22# |
| Q6TG4820 | 48 x 1/2 x 20 | 25# |
| Q6TG5420 | 54 x 1/2 x 20 | 28# |
| Q6TG6020 | 60 x 1/2 x 20 | 31# |
| Q6TG6620 | 66 x 1/2 x 20 | 34# |
| Q6TG7220 | 72 x 1/2 x 20 | 37# |
| | | |

Privacy •

| Description | Model No. | (W x D x H) | COM Requirements (YDS) | Wt. | Standard Laminate with PVC | Custom Laminate with PVC (1) |
|-----------------------|-----------|---------------|------------------------------|-----|----------------------------|------------------------------|
| Surface-mounted Scree | ens | | | | | |
| 30" HIGH MODESTY F | PANELS | | | | | |
| | Q6MP3030 | 30 x 3/4 x 30 | | 16# | | |
| | Q6MP3630 | 36 x 3/4 x 30 | | 19# | | |
| | Q6MP4230 | 42 x 3/4 x 30 | | 22# | | |
| | Q6MP4830 | 48 x 3/4 x 30 | | 25# | | |
| | Q6MP5430 | 54 x 3/4 x 30 | | 28# | | |
| | Q6MP6030 | 60 x 3/4 x 30 | | 31# | | |
| | Q6MP6630 | 66 x 3/4 x 30 | | 34# | | |
| | Q6MP7230 | 72 x 3/4 x 30 | | 37# | | |
| Mobile Screens | | | | | | |
| MOBILE SCREENS | | | | | | |




Q6MB4964 49 x 24 x 64 140#

Mobile Screen Accessories*

- Display Rail
- Tackable Panel
- Coat/Paper Tablet Hanger
- Paper Tablet


WHITEBOARD

FABRIC TACK PANELS



| Q6TP3020 | 30 x 3/4 x 20 | 1 | 7# |
|----------|---------------|-------|-----|
| Q6TP3620 | 36 x 3/4 x 20 | 1-1/4 | 8# |
| Q6TP4220 | 42 x 3/4 x 20 | 1-1/2 | 10# |
| Q6TP4820 | 48 x 3/4 x 20 | 1-1/2 | 11# |
| Q6TP5420 | 54 x 3/4 x 20 | 1-3/4 | 12# |
| Q6TP6020 | 60 x 3/4 x 20 | 2 | 13# |
| Q6TP6620 | 66 x 3/4 x 20 | 2 | 15# |
| Q6TP7220 | 72 x 3/4 x 20 | 2-1/4 | 16# |

FABRIC DOUBLE-SIDED TACK PANELS



| Q6DT3020 | 30 x 1-1/4 x 20 | 2 | 14# |
|----------|--------------------------|-------|-----|
| Q6DT3620 | 36 x 1-1/4 x 20 | 2-1/4 | 16# |
| Q6DT4220 | 42 x 1-1/4 x 20 | 2-3/4 | 20# |
| Q6DT4820 | 48 x 1 - 1/4 x 20 | 3 | 22# |
| Q6DT5420 | 54 x 1 - 1/4 x 20 | 3-1/4 | 24# |
| Q6DT6020 | 60 x 1 - 1/4 x 20 | 3-3/4 | 26# |
| Q6DT6620 | 66 x 1 - 1/4 x 20 | 4 | 30# |
| Q6DT7220 | 72 x 1 - 1/4 x 20 | 4-1/4 | 32# |

^{*}Consult factory for pricing.

Description Model No. (W x D x H) Wt. Price

Power Tools

POWER POLE

Consult factory for pricing.

WIRE MANAGER (HORIZONTAL)



Q7JM96 96 x 2-1/2 x 1

1#

Attaches to bottom of worksurface for horizontal wire management or to support legs for vertical wire management.

WIRE MANAGER (VERTICAL)

Q7VM30

30 x 2-1/2" dia.

1#

POWER PORT

A single unit that combines an R J-11 voice jack, RJ-45 data jack, and two 15 amp/125 volt outlets. Closes flush with the surface.



Q7PP50

6 x 5**-**1/2 x 4

3#

GROMMET



Q7TG50

2-1/2" dia.


Q7CG50

3" dia.

Description Model No. (W x D x H) Wt. Price


Workstation Tools

ARTICULATING KEYBOARD TRAY



Q7KT20 20 x 17-1/2 x 3-1/2 15#

MOUSE PAD EXTENSION



Q7MP10 8 x 8 x 1/2 3#

COMBINATION CLAMP

Includes articulating mechanism, keyboard clamp, foam wrist pad and mouse pad with tilt.

Q7KC20

Q7VH12

20 x 17 x 3-1/2


5 x 12 x *

12#

8#

VERTICAL CPU HOLDER (RETRACTABLE)

Black poly straps are adjustable to fit most CPUs.



*Adjustable height.

Description Model No. (W x D x H) Wt. Standard Laminate Custom Laminate with PVC with PVC (1)

Organization Tools/Paper Management Accessories

• All materials are silver powder-coated.

SCREEN BEAM



| Q7SB18 | 18 x 3/4 x 2 | 3# |
|--------|--------------|----|
| Q7SB20 | 20 x 3/4 x 2 | 3# |
| Q7SB24 | 24 x 3/4 x 2 | 3# |
| Q7SB30 | 30 x 3/4 x 2 | 3# |
| Q7SB36 | 36 x 3/4 x 2 | 4# |
| Q7SB42 | 42 x 3/4 x 2 | 4# |
| Q7SB48 | 48 x 3/4 x 2 | 5# |
| Q7SB54 | 54 x 3/4 x 2 | 5# |
| Q7SB60 | 60 x 3/4 x 2 | 6# |
| | | |

STORAGE SHELF



Q7SV3 12 x 12-1/2 x 8 3#

VERTICAL BINDER ORGANIZER



Q7VP11 4 x 12-1/2 x 8 3#

DIAGONAL LETTER ORGANIZER



Q7DP11 3-1/2 x 12 x8-1/2 2#

IN/OUT TRAYS



Q7IT9 12-1/2 x 9 x 8 3#

Hardware Tools

DESK MONITOR CART



Q7DM3131 31 x 31 x 31 77#

Description Model No. (W x D x H) Wt. Standard Laminate Custom Laminate with PVC with PVC (1)

Hardware Tools

CONFERENCE CENTER MONITOR CART



Q7CM3142 31 x 31 x 42 82#

CPU CART




Q7CP1223 12 x 23 x 26 25#

LOCKS




Q7DL50

Face-mounted gang lock.




Q7CL50

Face-mounted cam lock.




Q7FL50

Face-mounted gang lock.



Q7UL50

Face-mounted cam lock.



Q7WL50

Face-mounted wardrobe lock.

Surface Material Reference Guide

LAMINATE — VERTICAL & HORIZONTAL SURFACES

Worksurfaces, storage, support and privacy are available in our 8 Standard HLF Finishes. See our 2001 HLF Finish Selection Swatch Card or visit us online at www.hlffurniture.com.

| M-140 | Manitoba Maple | M-243 | Select Cherry |
|-------|----------------|-------|---------------|
| M-463 | Eggshell White | M-405 | Black |
| M-569 | Haze | M-409 | Smoke Grey |
| M-890 | White Mix | M-895 | Graphite Mix |

Any standard solid, pattern or woodgrain laminate available from Formica, Wilsonart, Pionite or Nevamar is also available from HLF. Please reference pricing in the column marked Custom Laminate with PVC (Add a "-1" to the model number; ex: Q2BB22-1).

PVC — EDGEBANDING

Edgebanding for worksurfaces, door and drawer faces, modesty and end panels are available to match the 8 standard laminates. Specify by using the prefix P (i.e., P-140 Manitoba Maple). Consult the factory for custom color options on large projects.

FABRIC — PRIVACY

Surface-mounted screens and tackboards are available in two standard patterns from our Lupina and Shoji lines.

| | <u>Shoji</u> |
|-----|---|
| #11 | Parchment #91 |
| #13 | Granite #92 |
| #15 | Opal #93 |
| #17 | Sunset #94 |
| #19 | Field #95 |
| #21 | Twilight #96 |
| #23 | Harvest #97 |
| #25 | |
| #27 | |
| #29 | |
| #31 | |
| #33 | |
| #35 | |
| | #13 #15 #17 #19 #21 #23 #25 #27 #29 #31 #33 |

Over 50 additional patterns are available at no upcharge through the CF Stinson Company. Please contact the CF Stinson Company at 800-841-6279 or the HLF factory for samples and detailed information.

METALS

All architectural elements, support posts, tubular legs, etc. are standard in a silver powder coat. Handles and tapered legs are stainless steel.

Terms and Conditions

Order Information

All orders are to be in writing to avoid errors and/or duplication. Orders are accepted subject only to the terms and conditions listed hereunder. It is expressly understood that variation from these terms and conditions shall only pertain on a per order basis when agreed to in writing by an officer of HLF Furniture, Incorporated. In placing an order, customer unconditionally agrees that terms and conditions listed hereunder shall supercede any and all terms and conditions listed on the customer's purchase order.

Phone Orders

Phone orders must be followed by written confirmation via mail or FAX transmission. It is the customer's responsibility to clearly indicate confirmation to avoid duplication.

Acknowledgement

It is our policy to acknowledge all orders in writing. The Acknowledgement will reflect as completely as possible our understanding of the order and will indicate the correct net pricing and approximate ship date. It remains the customer's responsibility to check the Acknowledgement for accuracy and to promptly report any errors or discrepancies.

Date of Delivery

It is our firm intention to comply with requested delivery dates insofar as is reasonably possible; however, it should be recognized that the date of shipment listed on our Acknowledgement is an estimate only and not an essential term of agreement. Delays in shipment of an order do not constitute a valid reason for cancellation nor shall HLF be liable for any expenses arising from any delay in delivery or failure to make delivery due to unavailability of raw materials, labor, or supplies or any factor beyond our reasonable control which might hinder or impede the manufacture or delivery of all or part of any order accepted.

Cancellations/Changes

Orders may be cancelled or changed at any time prior to commencement of production. The customer will be responsible for any costs incurred up to the point of cancellation and for the cost of the changes. No cancellations or changes will be accepted after production has commenced.

Prices

All prices are subject to change without notice. Orders are accepted at the price in effect as of the date of receipt of order at the factory.

Terms

Terms are 1% 10 days/net 30 days for customers on open account. Open account is only granted upon approval of a completed HLF Credit Application by our credit department. A 50% deposit or Pro Forma payment may be required prior to processing an initial order. No orders will be processed for accounts having outstanding invoices more than 30 days past due.

Specifications

Sizes, as listed, are nominal and may vary plus or minus 1/2" from list. Where product construction and material specifications are listed in this price list, they represent materials and methods in use at the time this guide was printed. HLF unconditionally reserves the right to change materials and construction methods without notice as part of our continuing efforts to improve products and techniques. HLF does not manufacture plastic laminates. Specifications for plastic laminates should be obtained directly from the appropriate laminate manufacturers.

Returns/Restocking

Terms and Conditions

Warranty

All Components[™] products are warranted to the original purchaser for a period of five years from the date of the original invoice to be free from factory defects in workmanship or materials. Because of natural variations over which HLF has no control, this warranty does not extend to color, grain or texture of wood or textiles and does not warrant matching of color, grain or texture except as specified in the order confirmation. HLF assumes no responsibility for the improper application or installation of electrical and lighting components, or for labor costs involved in repair or replacement. Lamps, ballasts, sockets or other electrical components not fully manufactured by HLF are covered by manufacturer's trade warranties. HLF Furniture's sole obligation and customer's remedy under this warranty shall extend to the repair or replacement, at our option, of products which prove defective during the warranty period under normal usage for the purpose intended. Misuse, alteration, negligence, abuse or damage by accident shall negate this warranty. There are no implied warranties of merchantability or fitness for a particular purpose made by HLF in connection with the sale or use of any item. The warranty provisions listed above are expressly in lieu of any other warranties, express or implied by fact or by statute, and all other remedies for damages arising from the sale or use of any item of furniture.

Backcharges

Charges incurred by the customer in expediting shipments or for the repair of goods will not be accepted by the company. Any back charges must be approved in advance in writing by HLF Furniture, Inc. via an HLF Credit Memo. We reserve the right to return goods to the factory for warranty repair rather that incur field service costs and shall be liable only for costs between the factory and the destination to which the goods were first delivered as indicated on our Shipper or Bill of Lading.

Drop Shipment

Customers desiring drop shipments directly to an end user or a job site may do so by requesting the service in writing on their purchase order. Customers will be required to sign and return an HLF Drop Ship Agreement before any drop shipment can occur. Any additional costs will be the customer's responsibility.

Packaging/Crating

All Components™ products are shipped blanket wrapped. Packaging and/or crating is available. Consult factory for pricing.

Claims

Claims for any damage must be filed promptly with the carrier. In case of damage, all crating materials should be retained until the goods are inspected. We cannot be responsible for merchandise once a carrier has received and signed for merchandise in good condition.

Storage/Delays

When shipment is delayed by the customer, we reserve the right to place the goods in storage at the customer's risk and expense. Terms for payment shall commence upon notification of the customer that goods are ready for pick-up or delivery.

Shipping

Shipping

Contact the factory for individual order shipping rates.

| Notes: | |
|--------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| Notes: | | |
|--------|------|------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |





44001 VAN BORN ROAD • BELLEVILLE, MICHIGAN 48111 (734) 697-3000 • FAX (734) 697-3008