



Conference Tables Price List



*Effective
November 1, 2010*



















CONTENTS









Top Edges	1
PAGE 2	
Tops - Laminate	2
PAGE 3	
PAGE 4	
Tops - Veneer	3
PAGE 5	
PAGE 6	
Bases	4
PAGE 7	
Integrated Power & Data	5
PAGE 8	
PAGE 9	
PAGE 10	
Telecom Plates	5
PAGE 11	
Base Configurations	6
PAGE 12	
Visual Board / Credenza / A.V. Cabinet / Lectern	7
PAGE 13	
Surface Material Reference Guide	8
PAGE 14	
Terms & Conditions	9
PAGE 15	
PAGE 16	
Shipping Zones	10
PAGE 17	

1 TABLE EDGES

TE-1 2" Wide x 1-1/2" Thick




TE-2 2-3/8" Wide x 2-3/8" Thick



CONFERENCE TABLE TOPS - LAMINATE w/ WOOD EDGE


Create your own conference table by specifying the tops and bases of your choice.
Specify model number of top and desired edge treatment, e.g., LTSQ 4848 (TE-1, 110 Eased);
then choose a base and specify its model number.

1-1/2" THICK	Size (LxD)	Weight	Model No.	EDGE TYPE		No. of Bases
				TE-1	TE-2	
				Price		
SQUARE TOPS						
	42 x 42	72	LTSQ 4242			(1) 20"
	48 x 48	96	LTSQ 4848			(1) 24"
	54 x 54	126	LTSQ 5454			(1) 24"
	60 x 60	150	LTSQ 6060			(1) 30"
ROUND TOPS						
	42 DIA	72	LTRO 4200			(1) 20"
	48 DIA	96	LTRO 4800			(1) 24"
	54 DIA	126	LTRO 5400			(1) 24"
	60 DIA	150	LTRO 6000			(1) 30"
RECTANGULAR TOPS						
	84 x 42	144	LTRE 08442			(2) 20"
	96 x 42	168	LTRE 09642			(2) 20"
	96 x 48	192	LTRE 09648			(2) 24"
	120 x 48	240	LTRE 12048			(2) 24"
	144 x 48	272	LTRE 14448			(3) 24"
	96 x 60	240	LTRE 09660			(2) 30"
	120 x 60	300	LTRE 12060			(2) 30"
	144 x 60	360	LTRE 14460			(3) 30"

2 TOPS




CONFERENCE TABLE TOPS - LAMINATE w/ WOOD EDGE

Create your own conference table by specifying the tops and bases of your choice.
Specify model number of top and desired edge treatment, e.g., LTRC 09648 (TE-2, 200 Eased);
then choose a base and specify its model number.

2-3/8" THICK	Size (LxD)	Weight	Model No.	EDGE TYPE		No. of Bases
				TE-1	TE-2	
				Price		
RACETRACK TOPS						
	84 x 42	213	LTRC 08442			(2) 20"
	96 x 42	237	LTRC 09642			(2) 20"
	96 x 48	264	LTRC 09648			(2) 24"
	120 x 48	324	LTRC 12048			(2) 24"
	144 x 48	366	LTRC 14448			(3) 24"
	168 x 48	447	LTRC 16848			(3) 24"
	192 x 48	528	LTRC 19248			(3) 24"
	216 x 48	588	LTRC 21648			(4) 24"
	240 x 48	648	LTRC 24048			(4) 24"
	96 x 60	318	LTRC 09660			(2) 30"
	120 x 60	390	LTSQ 12060			(2) 30"
	144 x 60	472	LTSQ 14460			(3) 30"
	168 x 60	554	LTSQ 16860			(3) 30"
	192 x 60	636	LTSQ 19260			(3) 30"
	216 x 60	708	LTSQ 21660			(3) 30"
	240 x 60	780	LTSQ 24060			(3) 30"
BOATSHAPE TOPS						
	84 x 42 (38)	213	LTBS 08442			(2) 20"
	96 x 42 (38)	237	LTBS 09648			(2) 20"
	96 x 48 (44)	264	LTBS 09648			(2) 24"
	120 x 48 (42)	324	LTBS 12048			(2) 24"
	144 x 48 (42)	366	LTBS 14448			(3) 24"
	168 x 48 (42)	447	LTBS 16848			(3) 24"
	192 x 48 (42)	528	LTBS 19248			(3) 24"
	216 x 48 (42)	588	LTBS 21648			(4) 24"
	240 x 48 (42)	648	LTBS 24048			(4) 24"
	96 x 60 (56)	318	LTBS 09660			(2) 30"
	120 x 60 (54)	390	LTBS 12060			(2) 30"
	144 x 60 (54)	472	LTBS 14460			(3) 30"
	168 x 60 (54)	554	LTBS 16860			(3) 30"
	192 x 60 (54)	636	LTBS 19260			(3) 30"
	216 x 60 (54)	708	LTBS 21660			(3) 30"
	240 x 60 (54)	780	LTBS 24060			(3) 30"

CONFERENCE TABLE TOPS - VENEER w/ WOOD EDGE

Create your own conference table by specifying the tops and bases of your choice.
Specify model number of top and desired edge treatment, e.g., VTSQ 4848 (TE-1, 110 Eased);
then choose a base and specify its model number.

1-1/2" THICK	Size (LxD)	Weight	Model No.	EDGE TYPE		No. of Bases
				TE-1	TE-2	
				Price		
SQUARE TOPS						
	42 x 42	72	VTSQ 4242			(1) 20"
	48 x 48	96	VTSQ 4848			(1) 24"
	54 x 54	126	VTSQ 5454			(1) 24"
	60 x 60	150	VTSQ 6060			(1) 30"
ROUND TOPS						
	42 DIA	72	VTRO 4200			(1) 20"
	48 DIA	96	VTRO 4800			(1) 24"
	54 DIA	126	VTRO 5400			(1) 24"
	60 DIA	150	VTRO 6000			(1) 30"
RECTANGULAR TOPS						
	84 x 42	144	VTRE 08442			(2) 20"
	96 x 42	168	VTRE 09642			(2) 20"
	96 x 48	192	VTRE 09648			(2) 24"
	120 x 48	240	VTRE 12048			(2) 24"
	144 x 48	272	VTRE 14448			(3) 24"
	96 x 60	240	VTRE 09660			(2) 30"
	120 x 60	300	VTRE 12060			(2) 30"
	144 x 60	360	VTRE 14460			(3) 30"


CONFERENCE TABLE TOPS - LAMINATE w/ WOOD EDGE

Create your own conference table by specifying the tops and bases of your choice.
Specify model number of top and desired edge treatment, e.g., VTRC 09648 (TE-2, 200 Eased);
then choose a base and specify its model number.

EDGE TYPE


2-3/8" THICK Size (LxD) Weight Model No. TE-1 TE-2 Price No. of Bases

RACETRACK TOPS



84 x 42	213	VTRC 08442			(2) 20"
96 x 42	237	VTRC 09642			(2) 20"
96 x 48	264	VTRC 09648			(2) 24"
120 x 48	324	VTRC 12048			(2) 24"
144 x 48	366	VTRC 14448			(3) 24"
168 x 48	447	VTRC 16848			(3) 24"
192 x 48	528	VTRC 19248			(3) 24"
216 x 48	588	VTRC 21648			(4) 24"
240 x 48	648	VTRC 24048			(4) 24"
96 x 60	318	VTRC 09660			(2) 30"
120 x 60	390	VTSQ 12060			(2) 30"
144 x 60	472	VTSQ 14460			(3) 30"
168 x 60	554	VTSQ 16860			(3) 30"
192 x 60	636	VTSQ 19260			(3) 30"
216 x 60	708	VTSQ 21660			(3) 30"
240 x 60	780	VTSQ 24060			(3) 30"



BOATSHAPE TOPS



84 x 42 (38)	213	VTBS 08442			(2) 20"
96 x 42 (38)	237	VTBS 09648			(2) 20"
96 x 48 (44)	264	VTBS 09648			(2) 24"
120 x 48 (42)	324	VTBS 12048			(2) 24"
144 x 48 (42)	366	VTBS 14448			(3) 24"
168 x 48 (42)	447	VTBS 16848			(3) 24"
192 x 48 (42)	528	VTBS 19248			(3) 24"
216 x 48 (42)	588	VTBS 21648			(4) 24"
240 x 48 (42)	648	VTBS 24048			(4) 24"
96 x 60 (56)	318	VTBS 09660			(2) 30"
120 x 60 (54)	390	VTBS 12060			(2) 30"
144 x 60 (54)	472	VTBS 14460			(3) 30"
168 x 60 (54)	554	VTBS 16860			(3) 30"
192 x 60 (54)	636	VTBS 19260			(3) 30"
216 x 60 (54)	708	VTBS 21660			(3) 30"
240 x 60 (54)	780	VTBS 24060			(3) 30"

CONFERENCE TABLE BASES - TECHNOLOGY READY


Refer to suggested top size column to find appropriate base size.
 Bases come with metal or plywood mounting plates to attach to top.
 All bases come with adjustable leveling glides.
 Indicate Laminate or Veneer base by adding "-L" to end of model number for laminate
 or "-V" to end of model number for veneer, e.g., TRRB 2000-L.

1-1/2" THICK	Size (LxD)	Weight	Model No.	Price	
				LAMINATE (-L)	VENEER (-V)
ROUND BASE					
	20 DIA	45	TRRB 2000		
	24 DIA	70	TRRB 2400		
	30 DIA	95	TRRB 3000		
SQUARE BASE					
	20 x 20	50	TRSB 2020		
	24 x 24	75	TRSB 2424		
	30 x 30	100	TRSB 3030		

5 POWER & DATA

ELECTRICAL - ECA OPTIONS

Power and Data requirements can be met through a variety of standard units most commonly determined by top size. However, any specification can be met with either a corded or hardwired unit. Prices listed are for corded units only. Please consult factory for hardwire pricing and requirements. Telecom plates are priced separately, refer page 11 for configurations and pricing.


TABLE-TOP UNITS	Size	Model No.	Description	Finish	Price
VILLA 	5.25 x 3 (cut-out)	VIL-C-P-B-72	Corded Villa Power base w/ 2 power only	Black	
		VIL-C-P-S-72	Corded Villa Power base w/ 2 power only	Silver	
		VIL-C-D-B-72	Corded Villa Power base w/ 2 power / 2 data	Black	
		VIL-C-D-S-72	Corded Villa Power base w/ 2 power / 2 data	Silver	
		VIL-C-V-B-72	Corded Villa Power base w/ 1 VGA, 1 mini-stereo & 1 data	Black	
		VIL-C-V-S-72	Corded Villa Power base w/ 1 VGA, 1 mini-stereo & 1 data	Silver	

The part numbers above are the model numbers for the base only

VIL-GROM-F-B	Villa Grommet - Flush, Black	Black
VIL-GROM-F-S	Villa Grommet - Flush, Silver	Silver


The Villa Single Circuit Series is a flexible two part power data system consisting of a Power Base which is mounted beneath the worksurface and a flush style powder coated metal grommet on the table top. Our unique convenience receptacle, located on the power base, provides easy access for meeting various ancillary power requirements. Numerous power base and grommet options are available making the Villa Series the most flexible power unit available. The Villa Series is compatible with our DaisyLink System for linking multiple units together. Consult Factory for details.

INTERACT

	8.375 x 4.75 (cut-out)	INTERACT-SC	Corded Interact Power base w/ 2 power & 1 telecom cut-out	Black
		INTERACT-SP-012	Corded Interact Power base w/ 2 power & 1 telecom cut-out	Silver

The Interact SC tabletop family of products provides access to 2 power receptacles and the ability to access a configurable Telecom plate, which is purchased separately. The unit is supplied with a 6 foot molded power cord set with 15 Amp plug. An additional convenience receptacle is located on the bottom. The Interact unit is available in black and silver powder coat. The Interact is UL Listed and CSA Certified. The Interact is compatible with our DaisyLink System for linking multiple units together. Consult Factory for details.

INTERFACE I TT

	13.625 x 6 (cut-out)	INTRFC I-TT-SC	Corded Interface I Power base w/ 4 power & 4 telecom cut-outs	Black
		INTRFC I-TT-036	Corded Interface I Power base w/ 4 power & 4 telecom cut-outs	Silver

The Interface I TT tabletop family of products provides access to 4 power receptacles and the ability to access 4 configurable Telecom plates, which are purchased separately. The unit is supplied with a 6 foot molded power cord set with 15 Amp plug. The Interface unit is available in black and silver powder coat. The Interface I TT is UL Listed and CSA Certified.


ELECTRICAL - ECA OPTIONS

POWER & DATA 5

Power and Data requirements can be met through a variety of standard units most commonly determined by top size. However, any specification can be met with either a corded or hardwired unit. Prices listed are for corded units only. Please consult factory for hardwire pricing and requirements. Telecom plates are priced separately, refer page 11 for configurations and pricing.

TABLE-TOP (cont.)	Size	Model No.	Description	Finish	Price
-------------------	------	-----------	-------------	--------	-------

INTERFACE II TT




13.625 x 10.9375 (cut-out)	INTRFC II-TT-SC	Corded Interface II Power base w/ 8 power & 8 telecom cut-outs	Black
	INTRFC II-TT-CS	Corded Interface II Power base w/ 8 power & 8 telecom cut-outs	Silver

The Interface II TT tabletop family of products provides access to 8 power receptacles and the ability to access 8 configurable Telecom plates, which are purchased separately. The unit is supplied with a 6 foot molded power cord set with 15 Amp plug. The Interface II unit is available in black and silver powder coat. The Interface II TT is UL Listed and CSA Certified.

TABLE-TROUGH UNITS	Size	Model No.	Description	Finish	Price
--------------------	------	-----------	-------------	--------	-------


OASIS MINI A



14.125 x 8.25 (cut-out)	OAM-A-PC-B	Corded Oasis Mini Power base w/ 12 power & 4 telecom cut-outs	Black
	OAM-A-PC-S	Corded Oasis Mini Power base w/ 12 power & 4 telecom cut-outs	Silver

The Oasis Mini is a 15" decorative table trough packed with style, power and data capabilities. The Oasis-Mini lies flush within the table surface and incorporates an integral two door lid which retracts into the table when opened to maximize table work surfaces and compliment any table design. Oasis Mini troughs come with 6 power receptacles and openings for 2 fully configurable telecom plates depending on your individual requirements. Oasis Power Inserts are UL Listed.

OASIS B



29.125 x 8.25 (cut-out)	OAS-B-PC-B	Corded Oasis Power base w/ 12 power & 4 telecom cut-outs	Black
	OAS-B-PC-S	Corded Oasis Power base w/ 12 power & 4 telecom cut-outs	Silver

The Oasis family of decorative table troughs are packed with style, power and data capabilities. Oasis troughs lie flush within the table surface and incorporate an integral two door lid which retracts into the table when opened to maximize table work surfaces and compliment any table design. Oasis troughs come with 12 power receptacles and openings for 4 fully configurable telecom plates depending on your individual requirements. Oasis Power Inserts are UL Listed.


5 POWER & DATA

ELECTRICAL - ECA OPTIONS

Power and Data requirements can be met through a variety of standard units most commonly determined by top size. However, any specification can be met with either a corded or hardwired unit. Prices listed are for corded units only. Please consult factory for hardwire pricing and requirements. Telecom plates are priced separately, refer page 11 for configurations and pricing.

TABLE-TROUGH (cont.)	Size	Model No.	Description	Finish	Price
----------------------	------	-----------	-------------	--------	-------

ELECTRI-WAVE MINI



14.125 x 8.25
(cut-out)

E-WAVE-MINI-BP


Corded Electri-Wave Mini Power base w/ Black
6 power, 3 data, 1 VGA & 1 mini-stereo

E-WAVE-MINI-SP

Corded Electri-Wave Mini Power base w/ Silver
6 power, 3 data, 1 VGA & 1 mini-stereo

The Electri-Wave Mini is a 15" table trough which incorporates a frosted glass door which when opened reveals 6 power receptacles and a host of the most popular audio-visual connections. LED's provide additional accent lighting in dimly lit settings. The door can be closed when the unit is in use to maximize the work surface. The bezel is constructed of high quality brushed and anodized aluminum.

ELECTRI-WAVE



29.125 x 8.25
(cut-out)

E-WAVE-MGW-B

Corded Electri-Wave Power base w/ Black
12 power, 12 data, 2 VGA, 2 mini-stereo,
2 DVI & 2 USB


E-WAVE-MGW-S

Corded Electri-Wave Power base w/ Silver
12 power, 12 data, 2 VGA, 2 mini-stereo,
2 DVI & 2 USB

The Electri-Wave is a 30" decorative trough packed with class, style and elegance. It lies flat within the table surface to maximize workspace while maintaining the sleek table design. Electri-Wave's double, swing doors incorporate frosted glass lids and can open from either side of the table for easy cable management. It is equipped with 12 power receptacles and a variety of data connectors. A rim of LED's provides accent lighting in dimly lit settings.

WIRE MANAGEMENT

PVC J-CHANNEL



48 x 2.5 x 1.5

C7JM48

BLACK

VERTICAL



30 x 2.5 dia.

Q7VM30

















BLACK

TELECOM PLATE CONFIGURATIONS 5

Telecom plates come standard in black; gray plates available at an additional \$1 up-charge.

The following are some of the more popular configurations, however, they can be customized to meet any requirement. Please visit the plate configurator at :

www.electri-cable.com/ecconfigurator/index.html

0  Black Plate Add # 0 to model code \$	1  3 Cord Bushings Add # 1 to model code \$	2  3 RCA Add # 2 to model code \$	3  DVI F/F Add # 3 to model code \$
4  (1) RJ11 Cat 3 (1) RJ45 Cat 6 Add # 4 to model code \$	5  (2) RJ45 Cat 6 Add # 5 to model code \$	6  (3) RJ45 Cat 6 Add # 6 to model code \$	7  (4) RJ45 Cat 6 Add # 7 to model code \$
8  HDMI F/F Add # 8 to model code \$	9  USB Inline Add # 9 to model code \$	10  (2) 15 Pin HD VGA F/F Add # 10 to model code \$	11  (1) 15 Pin HD VGA F/F (2) RJ45 Cat 6 Add # 11 to model code \$
12  (1) 15 Pin HD VGA F/F (1) USB Inline Add # 12 to model code \$	13  (1) 15 Pin HD VGA F/F (1) Mini-Stereo Inline (1) RJ11 Cat 3 Add # 13 to model code \$	14  (1) 15 Pin HD VGA F/F (1) Mini-Stereo Inline (1) HDMI F/F Add # 14 to model code \$	15  (1) 15 Pin HD VGA F/F (1) Mini-Stereo Inline (1) USB Inline Add # 15 to model code \$


DATA

RJ45 jack



PHONE

RJ11 jack



MINI-STEREO

Inline




RCA

Audio / Video Jacks




USB PORT

ZIP Drive, Camera, iPod



VIDEO

S-Video SVHS




HDMI F/F

TV, PC




DVI

Video, Projector, Laptop



VGA (15 PIN)

Video, Projector, Laptop




6 BASE CONFIGURATIONS

TOP LENGTH - BASE SIZE - SEATING


42" Wide



48" Wide




60" Wide



	Size (WDH)	Weight	Model No.	Price
				LAMINATE (-L) VENEER (-V)


VISUAL BOARD - HARDWOOD TRIM



48 x 4 x 48 180 CRVB 4848

Laminate or Veneer top with hardwood edge from any of our standard edges (TE-1).
Two door cabinet opens to magnetic porcelain clad wipeable writing surface, tackable panel and provision for flip chart.
Attaches to wall with recessed wood cleat hanger. Doors trimmed in either matching laminate or hardwood veneer.
Optional pull down projection screen - add \$175.


CREDENZA



72 x 24 x 36 345 CRCD 2472

Laminate or Veneer top with hardwood edge from any of our standard edges (TE-1).
(2) Two door cabinet sections with drawer and one adjustable shelf per section. 110° self-closing hinges.


AUDIO VISUAL CABINET



30 x 24 x 72 260 CRAV 3072

Laminate or Veneer top with hardwood edge from any of our standard edges (TE-1).
Two door upper cabinet to display TV monitor. Fixed shelf 36" A.F.F. defines bottom of upper section. Two door lower cabinet includes two adjustable shelves for VCR or audio components. Four wire management grommets provided - (1) center back of fixed shelf, (1) center back of each adjustable shelf and (1) center back of lower cabinet just below fixed shelf. Available with either self edge or hardwood edge.

LECTERN



24 x 24 x 48 165 LECT 2448

Units fully laminated with high pressure laminate or veneer over 3/4" industrial particle board. Listed units are self edge with exception of top which has hardwood edge from any one of our standard edges (TE-1).
Available with Power & Data (Villa AV).



SURFACE MATERIAL REFERENCE GUIDE

LAMINATE

High pressure laminates range from solids to optical solids to patterns to woodgrains. Specify colorful and durable laminates to coordinate with veneer and edge finish. Select from any standard, non-gloss laminates from Wilsonart, Pionite, Formica or Nevamar.

WOOD

Select any species of Cherry, Maple, Oak or Walnut for veneer and wood edges which can be finished several of our standard stains.

<u>Cherry</u>		<u>Stain to match laminate</u>
MLC	Millwork Cherry	Pionite - Millwork Cherry WC431-H, Hi- Brite
SHC	Shaker Cherry	Wilsonart - Shaker Cherry 7935K-07
SLC	Select Cherry	Formica - Select Cherry 7759-43
<u>Maple</u>		<u>Stain to match laminate</u>
FUM	Fusion Maple	Wilsonart - Fusion Maple 7909-60
HNM	Honey Maple	Pionite - Honey Maple WM951-N, Suede
HTM	Huntington Maple	Wilsonart - Huntington Maple 7929-38
<u>Oak</u>		<u>Stain to match laminate</u>
CAO	Castle Oak	Wilsonart - Castle Oak 7928-38
ENO	English Oak	Wilsonart - English Oak 7885K-78
WIO	Witchcraft Oak	Pionite - Witchcraft Oak WX421-H, Hi-Brite
<u>Walnut</u>		<u>Stain to match laminate</u>
MBW	Mambo Walnut	Wilsonart - Mambo 7948K-07
EPW	Empire Walnut	Wilsonart - Empire Mahogany 7122K-07
CBW	Colombian Walnut	Wilsonart - Colombian Walnut 7943K-07

* Contact factory for wood finish samples. Contact laminate companies online for laminate samples.

TERMS & CONDITIONS 9

Order Information

All orders are to be in writing to avoid errors and/or duplication. Orders are subject only to the terms and conditions listed hereunder. It is expressly understood that variation from these terms and conditions shall only pertain on a per order basis when agreed to in writing by an officer of HLF Furniture, Incorporated. In placing an order, customer unconditionally agrees that terms and conditions listed hereunder shall supercede any and all terms and conditions listed on the customer's purchase order.

Phone Orders

Phone orders must be followed by written confirmation via mail or FAX transmission. It is the customer's responsibility to clearly indicate confirmation to avoid duplication.

Acknowledgement

It is our policy to acknowledge all orders in writing. The acknowledgment will reflect as completely as possible our understanding of the order and will indicate the correct net pricing and approximate ship date. It remains the customer's responsibility to check the Acknowledgement for accuracy and to promptly report any errors or discrepancies.

Date of Delivery

It is our firm intention to comply with requested delivery dates insofar as is reasonably possible; however, it should be recognized that the date of shipment listed on our Acknowledgement is an estimate only and not an essential term of agreement. Delays in shipment of an order do not constitute a valid reason for cancellation nor shall HLF be liable for any expenses arising from any delay in delivery or failure to make delivery due to unavailability of raw materials, labor or supplies or any factor beyond our reasonable control which might hinder or impede the manufacture or delivery of all or part of any order.

Cancellations / Changes

Orders may be cancelled or changed at any time prior to commencement of production. The customer will be responsible for any costs incurred up to the point of cancellation and for the cost of the changes. No cancellations or changes will be accepted after production has commenced.

Prices

All prices are subject to change without notice. Orders are accepted at the price in effect as of the date of receipt of order at the factory.

Terms

Terms are 1% 10 days/net 30 days for customers on open account. Open account is only granted upon approval of a completed HLF Credit Application by our credit department. A 50% deposit or Pro Forma payment may be required prior to processing an initial order. No orders will be processed for accounts having outstanding invoices more than 30 days past due.

Specifications

Sizes, as listed, are nominal and may vary plus or minus 1/2" from list. Where product construction and material specifications are listed in this price, they represent materials and methods in use at the time this guide was printed. HLF unconditionally reserves the right to change materials and construction methods without notice as part of our continuing efforts to improve products and technique. HLF does not manufacture plastic laminates. Specifications for plastic laminates should be obtained directly from the appropriate laminate manufacturers.

Returns / Restocking

No returns will be accepted without the prior written consent of the factory. As all goods are manufactured to order, there is no provision offered for restocking merchandise upon payment of a restocking charge.

9 TERMS & CONDITIONS

Warranty

All Conference Table products are warranted to the original purchaser for a period of five years from the date of the original invoice to be free from factory defects in workmanship or materials. Because of the natural variations over which HLF has no control, this warranty does not extend to color, grain or texture of wood or textiles and does not warrant matching of color, grain or texture except as specified in the order confirmation. HLF assumes no responsibility for the improper application or installation of electrical and lighting components, or for labor costs involved in repair or replacement. Lamps, ballasts, sockets or other electrical components not fully manufactured by HLF are covered by manufacturer's trade warranties. HLF Furniture's sole obligation and customer's remedy under this warranty shall extend to the repair or replacement, at our option, of products which prove defective during the warranty period under normal usage for the purpose intended. Misuse, alteration, negligence, abuse or damage by accident shall negate this warranty. There are no implied warranties of merchantability or fitness for a particular purpose made by HLF in connection with the sale or use of any item. The warranty provisions listed above are expressly in lieu of any other warranties, express or implied by fact or by statute, and all other remedies for damages arising from the sale or use of any item of furniture.

Back Charges

Charges incurred by the customer in expediting shipments or for the repair of goods will not be accepted by the company. Any back charges must be approved in advance in writing by HLF Furniture, Inc. via an HLF Credit Memo. We reserve the right to return goods to the factory for warranty repair rather than incur field service costs and shall be liable only for costs between the factory and the destination to which the goods were first delivered as indicated on our Shipper or Bill of Lading.

Drop Shipment

Customers desiring drop shipments directly to an end user or a job site may do so by requesting the service in writing on their purchase order. Customers will be required to sign and return an HLF Drop Ship Agreement before any drop shipment can occur. Any additional costs will be the customer's responsibility.

Packaging / Crating


All Conference Table products are generally packaged and/or crated. Blanket wrapped shipping is available at the factory's discretion.

Claims

Claims for any damage must be filed promptly with the carrier. In case of damage, all crating materials should be retained until the goods are inspected. We cannot be responsible for merchandise once a carrier has received and signed for merchandise in good condition.

Storage / Delays

When shipment is delayed by the customer, we reserve the right to place the goods in storage at the customer's risk and expense. Terms for payment shall commence upon notification of the customer that goods are ready for pick-up or delivery.



All shipments are either common or contract carrier, at the factory's discretion.

ZONE 1

For orders exceeding \$2500 net, pricing includes the freight cost to your location.
For orders less than \$2500 net, add a \$75 drop charge.

ZONE 2

For orders exceeding \$2500 net, pricing includes the freight cost to your location.
For orders less than \$2500 net, add a \$125 drop charge.

ZONE 3

For orders exceeding \$2500 net, pricing includes the freight cost to your location.
For orders less than \$2500 net, add a \$175 drop charge.

ZONE 4

For orders exceeding \$2500 net, pricing includes the freight cost to your location.
For orders less than \$2500 net, add a \$225 drop charge.

Consult factory for discount information and to confirm which zone is being shipped to.